




**Product Selection Guide** 

	•				Navigation	
Market	Segment		Application	THB	TSW	MSW
	nent		Interior Light Controls			
tive	nfotainment		Climate Control			
omo	Info		Automotive Entertainment Cluster			
Automotive	icle ess ems		Trunk Open/Close Detection			
	Veh Acc Syst		Trailer/Container Door Open Detection			
mer	ing		Gaming Controllers	Х		
Insu	Pro Gaming		Virtual Reality Controllers	х		
High-End Consumer	Pro		Racing Simulator Controllers	Х	х	
רEn	Aviation		Drone Controllers	х		
High			Flight Simulator Controllers	Х	Х	Х
	onal deo	A POPULATION OF	Pro Audio Controllers		х	
	essio io/Vi		Broadcast Studio Robotic Camera Systems		х	х
	Prof Aud		Pro Lighting Controllers		х	
Industrial			Industrial Robots			х
Indu	Automation		Linear Actuators			
	Auto		Computer Aided Design & Manufacturing	х	х	х
	urity		Remote Monitoring			
	Security		Window/Door Sensing			
ical	ces		Robotic Surgery	х		Х
Medical	Devices		Automatic Emergency Defibrilators (AEDs)		х	

Product Selection Guide

	Det	Ro	tary		
MPS	MPSR	LTS (Rotary)	LTS (Linear)	ENC	ENC W/Screen
		х	Х	Х	х
		Х	Х	Х	х
				Х	х
x					
x	х				
				Х	х
				х	х
		х	х	х	х
		х	х	х	х
		х	х	х	х
x	х				
x	x				
		х	х	х	х
x	х				
x	х				
x				х	х
				х	х



**PRODUCT SELECTION GUIDE** 

# **SENSOR PRODUCTS**

C&K's proud history of product innovation continues with sensor solutions ideal for position, proximity sensing, and touch sensing in a wide range of applications. Inherently robust with available IP ratings up to IP69, MPS and MPSR are capable of millions of operations using magnetic actuation to provide contactless detection across hermetic barriers and distances up to 1". They're designed to be easy to install and easily customizable to fit the needs of applications ranging from automotive and industrial to construction, security and anti-tampering, and medical devices. The New LTS Series features capacitive touch control with a wide range of customizable options that will fulfill the demans of audio/video, industrial, automotive and other control applications.



## **MPS SERIES**

## **Magnetic Promimity Sensors**

#### Features / Benefits

Long life - 4M operations Sealed contacts Quality construction UL61058 Quick & easy installation

#### Typical Applications Remote Monitoring Anti-Tamper Detection Security

#### Function

SPST N.O. subminiature surface mount (adhesive or flange), side exit leads, 1" make gap



## **MPSR SERIES**

## **Ruggedized Magnetic Promimity Sensors**

#### Features / Benefits

Long life - 4M+ operations Hermetically sealed contacts Form C (SPDT) contacts w/ 3 W rating IP69 Rating Quick & easy installation

Contact Rating: 200 mA @ 3 W, 30 VDC

#### **Typical Applications**

Remote monitoring Anti-tamper detection Security

#### PART NUMBER

PART NUMBER

MPS45WGW

MPSR03C1A10

MPSR05A1A10

\* Contact C&K for custom options availability

NEW

## Function

Form C (SPDT N.O. / N.C.) 3 W / 30 VDC 72" Stainless steel hose w/ bare wire leads

Form A (SPST N.O) 5W / 180 VDC 72" Stainless hose w/bare wire leads



## LTS (ROTARY) SERIES

## **Illuminated Capacitive Touch Sensors**

#### Features / Benefits

Choice of Encoder or VR Operation Modes Scroll Plus Additional Key Output Multiple Customizable Sensing Zones Multiple Cap Options Integrated Illumination Capacitive Touch Controls

#### **Typical Applications**

Audio/Video Equipment Consumer Products IT Equipment Communications Equipment Appliances Lighting & Fan Controls

PART NUMBER	Function & Output	One Key Operation	Block 1 LED Color	Block 2 LED Color	Block 3 LED Color	One Key LED Color	Termination
LTSR14V-TXR003K-BPGXXC	Rotary 14 Position (VR)	Toggle Mode	Blue	Red & Blue	Green	N/A	Cable & Connection



## **LTS (LINEAR) SERIES**

## **Illuminated Capacitive Touch Sensors**


#### Features / Benefits

Choice of Encoder or VR Operation Modes Scroll Plus Additional Key Output Multiple Customizable Sensing Zones Multiple Cap Options Integrated Illumination Capacitive Touch Controls

#### **Typical Applications**

Audio/Video Equipment Consumer Products IT Equipment Communications Equipment Appliances Lighting & Fan Controls

PART NUMBER	Function & Output	One Key Operation	Block 1 LED Color	Block 2 LED Color	Block 3 LED Color	One Key LED Color	Termination
LTSL15V-TXL004K-YGBPXC	Linear 15 Position (VR)	Toggle Mode	Yellow	Green	Blue	Red & Blue	Cable & Connection
NEW							



## **PRODUCT SELECTION GUIDE**

# **Navigation Sensors**

C&K's navigation sensors are miniature, compact and multi-directional products. The THB series dual action 360° joystick is ideal for gaming, drone, and other controllers. The TSW Series scroll wheel offers easy one-handed control of electronics. The MSW packs three axes of movement and a pushbutton into one device for the ultimate control of robotics or industrial controllers.

## **Navigation Sensors**

		THB SERIES Miniature Thumbs	stick				
		Features / Benefits		Typical Applicat	Typical Applications		
	0	Higher actuation force Reduced "Dead Zone" slack & v Small form factor	wide angular sweep	Industrial High-end consumer Gaming Controllers AV Controls			
		I	1	1	1		
PART NUMBER	Circuit	Mounting Type	Operating Torque	Pushbutton Force	Life Cycle		
THB001P	Dual Potentiometer + SPST N.O.	Thru-hole	120 ± 50 gfcm	7 N	2,000,000 cycles for toggle		
THB111R NEW	Dual Potentiometer + SPST N.O	Thru-hole	110 ± 40 gfcm	8 N	1,000,000 Cycles for Toggle		
THB211QX NEW	Dual Potentiometer + SPST N.O (No Return to Center X-X Axis)	Thru-hole	140 ± 100 gfcm	7.4 N	2,000,000 Cycles for Toggle		
	,	MSW SERIES	,	, , ,			



## **Multifunction Hall Effect Joystick**

### Features / Benefits

Analog Voltage Output for Easy Interfacing Contactless Hall Effect Sensing for Long Life Tri-axis Operation Integrated Pushbutton Panel Mount for Easy Installation Cable and Connector Termination

#### **Typical Applications**

Industrial Controllers Robotics Medical Instruments AV Equipment

PART NUMBER

NEW

MSW311P1C

Circuit

Tri-Axis Analog Voltage Output + SPST N.O

Mounting Type

Panel

**Operating Torque** 

TBD (X/Y Axis)


TBD (Z Axis)

**Pushbutton Force** 


TBD

Life Cycle

5,000,000 cycles for X/Y Axis 1,000,000 cycles for Z Axis



## 9



## **PRODUCT SELECTION GUIDE**

## **Rotary Encoders**

Rotary encoders from C&K are available with variety of indexing options. The ENC Series features easy install connector sockets and integrated pushbutton. The TFT screen provides wide design flexibility for consumer, audio/video, industrial, and other applications.

## **Rotary Encoders**



## **ENC SERIES**

**Rotary Encoder** 

#### Features / Benefits

Clear detent / haptic feel Two channel, 2-bit code output Quadrature (incremental type) Integrated pushbutton

#### **Typical Applications**

Automotive interior control Industrial equipment Test & instrumentation Medical equipment

PART NUMBER	Function	Contact Rating	Rational Torque	Pushbutton Force	Operating Life	Termination
ENCOS16D2S65C	16 position Incremental Encoder	Rotary: 30 mA @ 5 V DC Pushbutton: 10 mA @ 5 V DC	265 gfcm	600 ± 20% gf	300,000 cycles	SMT
ENC0S24D2S65R	24 position Incremental Encoder	Rotary: 30 mA @ 5 V DC Pushbutton: 10 mA @ 5 V DC	265 gfcm	600 ± 20% gf	300,000 cycles	Connector



## ENC SERIES Rotary Encoder

#### Features / Benefits

Clear detent / haptic feel Two channel, 2-bit code output Quadrature (incremental type) Integrated pushbutton

### **Typical Applications**

Automotive interior control Industrial equipment Test & instrumentation Medical equipment

PART NUMBER	Function	Contact Rating	Rational Torque	Pushbutton Force	Operating Life	Termination
ENCOT24D5SX5T	24 position Incremental Encoder w/screen	Rotary: 30 mA @ 5 V DC	450 gfcm	$600 \pm 20\%$ gf	500,000 cycles	Pin Out
NEW		Pushbutton: 10 mA @ 5 V DC				

AMERICAS +1.617.969.3700

**ASIA** +852.3713.5288

**EUROPE** +33.1.60.24.51.51